

Cisco

Plantillas y ejemplos de configuraciones de Cisco

- [Cisco 2821](#)

Cisco 2821

Definiciones de variables a considerar :

xxxx: Variable a ser utilizada y debe ser reemplazada por el parametro correspondiente.

ASN : Número de ASN del miembro.

ASN_IXP: Número de ASN del IXP

Red_4_n : Red IPv4 del miembro a ser ruteada.

Mask_4_n : Mascara IPv4 del miembro a ser ruteada.

Red_6_n : Red IPv6 del miembro a ser ruteada.

Mask_6_n : Mascara IPv6 del miembro a ser ruteada.

IPv4-IXP : Dirección IPv4 asignada al miembro a ser conectado.

IPv6-IXP : Dirección IPv6 asignada al miembro a ser conectado.

IPv4-IXP-Final : Número del octeto final de la dirección IPv4-IXP.

IPv4-IXP-Final : Número del octeto final de la dirección IPv6-IXP.

Router BGP

router bgp **ASN_IXP**

neighbor **IPv4-IXP** remote-as **ASN**

neighbor **IPv4-IXP** description **Descripcion_del_miembro_codigo (Inicial_CABASE)**

neighbor **Pv6-IXP** remote-as **ASN**

neighbor **IPv6-IXP** description **Descripcion_del_miembro_codigo (Inicial_CABASE)**

address-family ipv4

no neighbor **IPv6-IXP** activate

Familia IPv4

neighbor **IPv4-IXP** activate

neighbor **IPv4-IXP** send-community both

neighbor **IPv4-IXP** soft-reconfiguration inbound

neighbor **IPv4-IXP** route-map AS_**ASN**_IN in

neighbor **IPv4-IXP** route-map AS_**ASN**_OUT out

neighbor **IPv4-IXP** maximum-prefix 100 restart 15

Familia IPv6

address-family ipv6

neighbor **IPv6-IXP** activate

neighbor **IPv6-IXP** send-community

neighbor **IPv6-IXP** soft-reconfiguration inbound

neighbor **IPv6-IXP** route-map AS_**ASN**_IN_V6 in

neighbor **IPv6-IXP** route-map AS_**ASN**_OUT_V6 out

AS-Path

Access list ASPATH

ip as-path access-list **IPv4-IXP-Final** permit ^(_**ASN**)+\$

Si es de tránsito con de otro SA

ip as-path access-list **IPv4-IXP-Final** permit ^(_**ASN**)+(_**ASNTransportado**)+\$

ip extcommunity

ip extcommunity-list **IPv4-IXP-Final** permit rt 52376:**ASN**

IPv4

IPv4 prefix-list

ip prefix-list AS_**ASN**_PREF seq 1 deny 0.0.0.0/0 ge 25 le 31

ip prefix-list AS_**ASN**_PREF seq 10 permit **Red_4_n/Mask_4_n** le 32

Route Map IPv4

route-map AS_**ASN**_IN permit 10

match ip address prefix-list AS_**ASN**_PREF

match as-path **IPv4-IXP-Final**

set comm-list COMUNIDADES_INFORMATIVAS delete

set community 52376:991 52376:27991 additive

route-map AS_**ASN**_OUT deny 10

match extcommunity **IPv4-IXP-Final**

route-map AS_**ASN**_OUT permit 40

match ip address prefix-list GENERAL

IPv6

IPv6 prefix-list

ipv6 prefix-list AS_**ASN**_PREF_V6 seq 10 permit **Red_6_n/Mask_6_n** le 48

Route Map IPv6

route-map AS_**ASN**_IN_V6 permit 10

match ip address prefix-list AS_**ASN**_PREF_V6

match as-path **IPv4-IXP-Final**

set comm-list COMUNIDADES_INFORMATIVAS delete

set community 52376:991 52376:27991 additive

route-map AS_**ASN**_OUT_V6 deny 10

match extcommunity **IPv4-IXP-Final**

route-map AS_**ASN**_OUT_V6 permit 40

match ip address prefix-list GENERAL